

Certificate

It's confirm that

Viljandi Aken ja Uks AS, Doorfactory Estonia

Fulfil the requirements according to

NORWEGIAN DOOR- AND WINDOW CONTROL



The certificate include all production of windows and doors, and include the following products:

Door types:

- VU T1 HPL, outward opening timberdoor, with or without glazing.
- VU T1, outward opening timberdoor, with or without glazing.
- FD 14, one sided hinged timber leaf in timber frame, external door.

Oslo date: 05.02.2019

Ole-Vider Stuntan

NDVK chairman

Date of issue first time: 02.01.2018 Valid thru: 31.12.2020

Certificate NO.: 061



Quality management in the production of windows and door fulfils the requirement to **NDVK Rules:**

Requirements for doors and windows of 01/2019

and

Rules for certificate and inspection of 01/2019.

The product at page 1 fulfil the requirement according to:

The product at page 1 familiano requirement according to:											
Characteristic	Classification/value										NDVK req.
Air permeability											
Class	1			2			3		4		
Max. test pressure (Pa)	150			300			600		600		4
Watertightness											
Class - Non-shielded (A)	1 A	2 A	3 A	4 A	5 A	6 A	7 A	8 A	9 A	E	
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)	(450)	(600)	(>600)	7A or 7B**
Class - Shielded (B)	1 B	2 B	3 B	4 B	5 B	6 B	7 B				/AUI/D
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)				

^{*} Requirement for windows and balcony-doors

^{**)} Requirement for Pedestrian doors