

# SAFETY DATA SHEET

## Gjøco Fashion 80



The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

### SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued	06.10.2021
Revision date	23.01.2023

#### 1.1. Product identifier

Product name	Gjøco Fashion 80
Article no.	39XXXX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Function	Description: Used for surface treatment. Used as indicated on label.
----------	--

#### 1.3. Details of the supplier of the safety data sheet

Company name	Gjøco AS
Office address	Ørvegen 1160
Postal address	Ørvegen 1160
Postcode	6639
City	Torvikbukt
Country	Norge
Telephone number	+47 712 91 700
Fax	+47 712 91 700
Email	<a href="mailto:ingeborg@gjoco.no">ingeborg@gjoco.no</a>
Website	<a href="http://www.gjoco.com">www.gjoco.com</a>
Enterprise No.	NO 854 814 702 MVA

#### 1.4. Emergency telephone number

Emergency telephone	Telephone number: Norwegian National Poison Centre: +47 22 59 13 00
---------------------	---

### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

### CLP classification, comments

The product is not classified as dangerous according to Regulation (EC) 1272/2008 as amended. This safety data sheet has been prepared voluntarily: it is not required according to Article 31 of (EC) No 1907/2006. This product is not subject to classification in according to EU CLP.

## 2.2. Label elements

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

### Supplemental label information

The product contains biocides / preservation: mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (CIT: MIT) and 1,2-benzisothiazole-3 (2H) -one (BIT). May cause an allergic reaction. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### VOC

Product subcategory : Coatings (paint) for wood, metal or plaster Interior/ exterior.

Relevant VOC limit values: < 130 g/l

Maximum content of VOC: < 75 g/l

## 2.3. Other hazards

### PBT / vPvB

This product does not contain any substances that are considered to be PBT or vPvB in levels of 0,1% or higher.

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Composition type

Mixture

Substance	Identification	Classification	Contents	Notes
Propane-1,2-diol	CAS No.: 57-55-6 EC No.: 200-338-0 Index No.: 01-2119456809-23		< 5 %	2

<sup>2</sup>Substance with a workplace exposure limit

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General

Remove victim immediately from source of exposure.

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water.

#### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart.

#### Ingestion

Get medical attention if any discomfort continues.

## 4.2. Most important symptoms and effects, both acute and delayed

General symptoms and effects	No known significant effects or critical hazards.
------------------------------	---

## 4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment	Treat symptomatically. Contact a physician if large quantities are swallowed.
-------------------	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Foam, carbon dioxide or dry powder.
Improper extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	Due to the small packaging, the risk of inhaling gases formed in a fire is minimal.
Hazardous combustion products	Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO).

### 5.3. Advice for firefighters

Personal protective equipment	In case of inadequate ventilation wear respiratory protection.
-------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	No action shall be taken that entails personal risk. Wear suitable protective equipment.
For emergency responders	Use personal protective equipment as required.

### 6.2. Environmental precautions

Environmental precautionary measures	Contain spillages with sand, earth or any suitable absorbent material.
--------------------------------------	--

### 6.3. Methods and material for containment and cleaning up

Containment	Store in a closed container.
-------------	------------------------------

### 6.4. Reference to other sections

Other instructions	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
--------------------	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handling	Store in closed original container at temperatures between 8°C and 28°C.
----------	--

## Protective safety measures

Protective safety measures

Avoid contact with skin and eyes. Have eye wash and emergency shower available.

## 7.2. Conditions for safe storage, including any incompatibilities

## 7.3. Specific end use(s)

Recommendations

No one special.

## SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Propane-1,2-diol	CAS No.: 57-55-6	Limit value (8 h) : 150 ppm	
Substance	Propane-1,2-diol		
Occupational exposure limit, intended use	<b>Limit value type:</b> Administrativ norm		

### DNEL / PNEC

Substance

Propane-1,2-diol

DNEL

**Group:** Professional**Route of exposure:** Langsiktig (gjentatt) - Innånding - Systemisk effekt**Value:** 186 mg/m<sup>3</sup>**Group:** Professional**Route of exposure:** Langsiktig (gjentatt) - Innånding - Lokal effekt**Value:** 10 mg/m<sup>3</sup>**Group:** Consumer**Route of exposure:** Langsiktig (gjentatt) - Innånding - Systemisk effekt**Value:** 59 mg/m<sup>3</sup>**Group:** Consumer**Route of exposure:** Langsiktig (gjentatt) - Innånding - Lokal effekt**Value:** 10 mg/m<sup>3</sup>

PNEC

**Route of exposure:** Soil**Value:** 50 mg/kg dwt**Route of exposure:** Saltwater**Value:** 26 mg/l**Route of exposure:** Water**Value:** 206 mg/l**Route of exposure:** Freshwater sediments**Value:** 572 mg/l**Route of exposure:** Saltwater sediments**Value:** 57,2 mg/l

## 8.2. Exposure controls

### Safety signs



### Eye / face protection

Eye protection, comments      Use eye protection when there is a risk of splashing.

### Hand protection

Suitable gloves type	Nitrilgummi, butylgummi, Viton®, 4H
Unsuitable materials	< 1 time: polyvinylalkohol (PVA)
Breakthrough time	Value: > 8 hour(s)
Hand protection, comments	Use gloves tested according to EN374.

### Skin protection

Suitable protective clothing      Wear suitable protective clothing if there is a risk of skin contact.

### Respiratory protection

Respiratory protection necessary at      In general, not necessary

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
State under standard conditions	Liquid.
Colour	Variations, spec. on label
Odour	Characteristic.
Odour limit	Comments: Not relevant.
pH	Value: ~ 8
Melting point / melting range	Comments: Not known.
Freezing point	Value: 0 °C
Boiling point / boiling range	Value: ~ 100 °C
Flash point	Comments: Not relevant.
Evaporation rate	Comments: Not relevant.
Flammability	Not known.
Lower explosion limit with unit of measurement	Comments: Not known.

Upper explosion limit with units of measurement	Comments: Not known.
Explosion limit	Comments: Not available
Vapour pressure	Comments: Not known.
Vapour density	Comments: Not known.
Relative density	Comments: Not known.
Bulk density	Comments: Not known.
Solubility	Medium: Water

## 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	Stable under normal conditions.
------------	---------------------------------

### 10.2. Chemical stability

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Conditions to avoid	No specific data.
---------------------	-------------------

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### 11.2 Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Endocrine disrupting properties

### 12.7. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

EWL packing	EWC waste code: 080112 waste paint and varnish other than those mentioned in 08 01 11 Classified as hazardous waste: Yes
Other information	Do not empty into drains or watercourses.

## SECTION 14: Transport information

Dangerous goods	Nei
-----------------	-----

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Maritime transport in bulk according to IMO instruments

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Assessed restrictions	<p>FOR 2002-07-16-1139: Regulations on classification, labeling etc. of hazardous chemicals with later changes. From Regulations on the classification, labeling and packaging of substances and preparations (CLP) of 16.06.2012 with later changes.</p> <p>Commission Regulation (EU) No. 453/2010 amending Regulation (EC) No 453/2010 1907/2006 by the European Parliament and the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), Annex II Safety Data Sheet.</p> <p>FOR 2011-12-06 no. 1358 Regulations on measures and limit values.</p> <p>The Waste Regulations, FOR 2004-06-01 no. 930, from the Ministry of the Environment.</p> <p>FOR 2009-04-01 no. 384: Regulations on land transport of dangerous goods with later changes, the Directorate for Civil Protection and Emergency Planning.</p> <p>FOR 1996-03-01 no. 229, with later changes: Regulations on aerosol containers. Prevent - Chemical Substances.</p>
-----------------------	--

FOR-2013-08-21-1015: Regulations on limitation of the use of hazardous chemicals and other products (the product regulations)

MAL group (DK)

00-1

Legislation and regulations

The Aerosol Dispensers Regulations 2009 (SI 2824), with amendments. Forskrift om deklarerings av kjemikalier til produktregisteret (deklareringsforskriften). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2001 on the registration, evaluation, authorization and restriction of chemicals (REACH), establishing a European Chemicals Agency and amending Directive 1999/45 / EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 and Council Directive 76/769 / EEC and Commission Directives 91/155 / EEC, 93/67 / EC, 93/105 / EC and 2000/21 / EC, as amended.  
Council Regulation (EC) No 1272/2008.  
Regulations, order no. 704: Action and limit values. Last modified by regulation 30 December 2013 no.1718.  
Administrative standards for pollution in work atmosphere 2009, with changes.  
Regulations on recycling and treatment of waste (waste regulations). 01.06 2004 no. 930, with amendments.  
Regulations on classification, labeling and packaging of substances and substance mixtures (CLP), 16.06.2012 no. 622, with amendments.  
ADR / RID road / rail transport of dangerous goods 2015, Directorate for Civil Protection and Emergency Planning.

No duty to declare owing to

Not subject to declaration in accordance with CLP regulations

## 15.2. Chemical safety assessment

Chemical safety assessment

Not relevant.

## SECTION 16: Other information

Supplier's notes

The procedure for deriving classification according to Regulation (EC) No. 1272/2008 [CLP / GHS] is done according to a calculation method, and on the basis of data provided by raw material suppliers and GHS.

Revision responsible

Gjøco AS

Version

3

NOBB No.

40834137, 49637961, 40834129, 40834111, 49637976, 40834103, 40834095, 49637980, 49637957, 40834079